

Establishment: _____ Week of: _____ Pool / Spa / Other: _____

Test prior to opening and						EVERY 2 HOURS						thereafter											
SUN	pH*	FC*	CC*	TC*	Bather Load	MON	pH*	FC*	CC*	TC*	Bather Load	TUE	pH*	FC*	CC*	TC*	Bather Load	WED	pH*	FC*	CC*	TC*	Bather Load
6/7 am						6/7 am						6/7 am						6/7 am					
8/9 am						8/9 am						8/9 am						8/9 am					
10/11 am						10/11 am						10/11 am						10/11 am					
12/1 pm						12/1 pm						12/1 pm						12/1 pm					
2/3 pm					Temperature*	2/3 pm					Temperature*	2/3 pm					Temperature*	2/3 pm					Temperature*
4/5 pm						4/5 pm						4/5 pm						4/5 pm					
6/7 pm						6/7 pm						6/7 pm						6/7 pm					
8/9 pm						8/9 pm						8/9 pm						8/9 pm					
10/11 pm						10/11 pm						10/11 pm						10/11 pm					
THU	pH*	FC*	CC*	TC*	Bather Load	FRI	pH*	FC*	CC*	TC*	Bather Load	SAT	pH*	FC*	CC*	TC*	Bather Load	Check weekly					
6/7 am						6/7 am						6/7 am						Rate of Flow Gauge:					
8/9 am						8/9 am						8/9 am						Vacuum Gauge:					
10/11 am						10/11 am						10/11 am						Check weekly <u>OR</u> each time water body's chemical composition is altered					
12/1 pm						12/1 pm						12/1 pm						Alkalinity*:					
2/3 pm					Temperature	2/3 pm					Temperature	2/3 pm					Temperature	Calcium Hardness*:					
4/5 pm						4/5 pm						4/5 pm						*See 4-9 and Appendix C of FDHU's Swimming Pool and Spa Rules and Regulations for acceptable chemical levels and daily record requirements.					
6/7 pm						6/7 pm					6/7 pm												
8/9 pm						8/9 pm					8/9 pm												
10/11 pm						10/11 pm					10/11 pm												

NOTES*:

Establishment: _____ Week of: _____ Pool / Spa / Other: _____

Test prior to opening and						EVERY 2 HOURS						thereafter											
SUN	pH*	FC*	CC*	TC*	Bather Load	MON	pH*	FC*	CC*	TC*	Bather Load	TUE	pH*	FC*	CC*	TC*	Bather Load	WED	pH*	FC*	CC*	TC*	Bather Load
6/7 am						6/7 am						6/7 am						6/7 am					
8/9 am						8/9 am						8/9 am						8/9 am					
10/11 am						10/11 am						10/11 am						10/11 am					
12/1 pm						12/1 pm						12/1 pm						12/1 pm					
2/3 pm					Temperature*	2/3 pm					Temperature*	2/3 pm					Temperature*	2/3 pm					Temperature*
4/5 pm						4/5 pm						4/5 pm						4/5 pm					
6/7 pm						6/7 pm						6/7 pm						6/7 pm					
8/9 pm						8/9 pm						8/9 pm						8/9 pm					
10/11 pm						10/11 pm						10/11 pm						10/11 pm					
THU	pH*	FC*	CC*	TC*	Bather Load	FRI	pH*	FC*	CC*	TC*	Bather Load	SAT	pH*	FC*	CC*	TC*	Bather Load	Check weekly					
6/7 am						6/7 am						6/7 am						Rate of Flow Gauge:					
8/9 am						8/9 am						8/9 am						Vacuum Gauge:					
10/11 am						10/11 am						10/11 am						Check weekly <u>OR</u> each time water body's chemical composition is altered					
12/1 pm						12/1 pm						12/1 pm						Alkalinity*:					
2/3 pm					Temperature	2/3 pm					Temperature	2/3 pm					Temperature	Calcium Hardness*:					
4/5 pm						4/5 pm						4/5 pm						*See 4-9 and Appendix C of FDHU's Swimming Pool and Spa Rules and Regulations for acceptable chemical levels and daily record requirements.					
6/7 pm					6/7 pm						6/7 pm												
8/9 pm						8/9 pm						8/9 pm											
10/11 pm						10/11 pm						10/11 pm											

NOTES*:

